



# **Michigan Quality Improvement Consortium**

## **2010 Annual Performance Measurement Report**

March 31, 2011

# Table of Contents

Executive Summary	Page 3
Asthma	Pages 4-12
Bronchitis	Pages 13-14
Chronic Kidney Disease	Pages 15
Depression	Pages 16-18
Diabetes	Pages 19-38
Hypercholesterolemia	Pages 39-46
Hypertension	Pages 47-53
Low Back Pain	Pages 54-55
Overweight/Obesity	Page 56
• Adults	Page 56
• Children and Adolescents	Pages 57-62
Pharyngitis	Pages 63-64
Prenatal and Postpartum Care	Pages 65-66
Preventive Services	Page 67
• Adults	Pages 67-72
• Adolescents	Pages 73-77
• Children and Adolescents	Pages 78-93
Substance Use Disorders	Pages 94-95

## Executive Summary


The Michigan Quality Improvement Consortium (MQIC) is committed to improving health care outcomes for Michigan residents. Currently, 13 Michigan health plans participate in MQIC, touching the lives of over six million residents in the State.

Membership in the consortium requires participating health plans to submit key data for selected National Committee for Quality Assurance (NCQA) HEDIS® performance measures that are relevant to specific MQIC guidelines. The Measurement Workgroup has defined additional data elements for plans to submit for measures which supplement or extend HEDIS®. These measures are identified on the following slides as "non-HEDIS". There are few occasions in which a plan is unable to submit a rate for a specific measure.

Participating health plans have Commercial, Medicaid, and/or Medicare product lines, and an MQIC Community Rate is calculated for each of these three. For each measure and product line, MQIC aggregates data from the health plans and calculates a "true" community rate.

There are over 170 2010 HEDIS® and non-HEDIS measures being reported. Of the over 140 measures where year-to-year comparisons can be made, the MQIC community results show improvement in 83 measures (58%), of which 32 measures (22%) show improvement of greater than 3%. A national HEDIS® average is provided for benchmarking in order for MQIC to measure progress and to identify opportunities for further improvement. See NCQA 's 2010 State of Health Care Quality report at <http://www.ncqa.org/tabid/836/Default.aspx>.


## Asthma Medication Indicators MQIC Community Rate - Commercial HEDIS® 2010




### Measure

Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Appropriate Use Asthma Meds 5-11 years	96.60%	97.65%
Appropriate Use Asthma Meds 12-50 years	91.40%	96.92%
Appropriate Use Asthma Meds All years	92.70%	96.98%

# Asthma Medication Indicators MQIC Community Rate - Commercial HEDIS® 2010




## Asthma Medication Indicators MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Appropriate Use Asthma Meds 5-11 years	91.80%	99.17%
Appropriate Use Asthma Meds 12-50 years	86.00%	92.76%
Appropriate Use Asthma Meds All years	88.60%	94.98%

# Asthma Medication Indicators MQIC Community Rate - Medicaid HEDIS® 2010



## Asthma Indicator MQIC Community Rate non-HEDIS reporting years 2005-2009


**Measure: ER visits with primary diagnosis of Asthma/1000 members**



Commercial	55.37
Medicaid	192.14


## Asthma Indicator MQIC Community Rate non-HEDIS reporting years 2005-2009

**Measure: Asthma member with one preventive exam in reporting year**




Product	MQIC Best Practice
Commercial	99.52%
Medicaid	99.34%


# Asthma Medication Indicators Blue Cross Blue Shield of MI Commercial Members HEDIS® 2010




# Asthma Indicator Blue Cross Blue Shield of MI Commercial Members non-HEDIS reporting years 2005-2009



**Asthma Indicator**  
**Blue Cross Blue Shield of MI**  
**Commercial Members**  
**non-HEDIS reporting years 2005-2009**




## Acute Bronchitis Indicator Avoidance of Antibiotic Treatment in Adults MQIC Community Rate HEDIS® 2010




Product	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Commercial	24.00%	27.18%
Medicaid	25.60%	26.20%

**Acute Bronchitis Indicator  
Blue Cross Blue Shield of MI  
Commercial Members  
HEDIS® 2010**




## Chronic Kidney Disease Indicator MQIC Community Rate non-HEDIS reporting years 2008-2009

**Measure: Percent members in Diabetes or HTN populations who had a serum creatinine test (necessary for GFR)**




Product	MQIC Best Practice
Commercial	94.02%
Medicaid	97.61%
Medicare	97.36%

## Depression Indicator MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Effective Acute Phase Treatment	62.90%	72.36%
Effective Continuation Phase Treatment	46.20%	53.87%

## Depression Indicator MQIC Community Rate - Medicare HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Effective Acute Phase Treatment	63.70%	80.99%
Effective Continuation Phase Treatment	50.60%	67.77%

# Depression Indicator Blue Cross Blue Shield of MI Commercial Members HEDIS® 2010




## Diabetes Indicator MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
HbA1c Testing	89.20%	94.89%
HbA1c Control <7.0%	42.10%	52.24%

## Diabetes Indicator MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
HbA1c Control <8.0%	61.60%	74.27%
HbA1c Control >9.0%	28.20%	16.30%

## Diabetes Indicator MQIC Community Rate - Commercial HEDIS® 2010



Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
LDL-C Screening	85.00%	91.24%
LDL-C Level <100 mg/dL	47.00%	56.57%

## Diabetes Indicator MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Diabetic Eye Exam	56.50%	71.53%
Medical Attention for Nephropathy	82.90%	91.24%

# Diabetes Indicator


## MQIC Community Rate - Commercial

### HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
BP Controlled <130/80 mmHg	33.90%	48.54%
BP Controlled <140/90 mmHg	65.10%	78.65%

## Diabetes Indicator MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
HbA1c Testing	80.60%	93.25%
HbA1c Control <7.0%	33.90%	49.40%

## Diabetes Indicator MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
HbA1c Control <8.0%	45.70%	62.04%
HbA1c Control >9.0%	44.90%	21.69%

## Diabetes Indicator MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
LDL-C Screening	74.20%	84.07%
LDL-C Level <100 mg/dL	33.50%	46.78%

## Diabetes Indicator MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Diabetic Eye Exam	52.70%	70.46%
Medical Attention for Nephropathy	76.90%	92.54%

## Diabetes Indicator MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
BP Controlled <130/80 mmHg	32.20%	42.03%
BP Controlled <140/90 mmHg	59.80%	73.36%

## Diabetes Indicator MQIC Community Rate - Medicare HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
HbA1c Testing	89.60%	98.54%
HbA1c Control <8.0%	63.70%	84.67%
HbA1c Control >9.0%	28.00%	7.30%

## Diabetes Indicator MQIC Community Rate - Medicare HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
LDL-C Screening	87.30%	97.32%
LDL-C Level <100 mg/dL	50.00%	73.24%

## Diabetes Indicator MQIC Community Rate - Medicare HEDIS® 2010



Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Diabetic Eye Exam	63.50%	85.64%
Medical Attention for Nephropathy	88.60%	95.13%


## Diabetes Indicator MQIC Community Rate - Medicare HEDIS® 2010



Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
BP Controlled <130/80 mmHg	33.30%	50.36%
BP Controlled <140/90 mmHg	60.50%	77.37%

## Diabetes Indicator MQIC Community Rate non-HEDIS reporting years 2006-2009


**Measure: Statin Therapy for Persons with Diabetes**



Product	MQIC Best Practice
Commercial	62.34%


# Diabetes Indicator MQIC Community Rate non-HEDIS reporting years 2006-2009

**Measure: Statin Therapy for Persons with Diabetes**




# Diabetes Indicator MQIC Community Rate non-HEDIS reporting years 2006-2009

**Measure: Statin Therapy for Persons with Diabetes**




Product	MQIC Best Practice
Medicare	74.95%


**Diabetes Indicator**  
**Blue Cross Blue Shield of MI**  
**Commercial Members**  
**HEDIS® 2010**




**Diabetes Indicator  
Blue Cross Blue Shield of MI  
Commercial Members  
HEDIS® 2010**



**Diabetes Indicator  
Blue Cross Blue Shield of MI  
Commercial Members  
non-HEDIS reporting years 2006-2009**




## Hypercholesterolemia Indicator MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
LDL-C Screening	88.40%	96.77%
LDL-C Level <100 mg/dL	59.20%	69.74%

## Hypercholesterolemia Indicator MQIC Community Rate - Medicaid HEDIS® 2010



Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
LDL-C Screening	80.70%	89.46%
LDL-C Level <100 mg/dL	41.20%	48.46%


## Hypercholesterolemia Indicator MQIC Community Rate - Medicare HEDIS® 2010



Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
LDL-C Screening	88.40%	94.44%
LDL-C Level <100 mg/dL	55.70%	73.39%

# Hypercholesterolemia Indicator MQIC Community Rate non-HEDIS reporting years 2006-2009


**Measure: Statin Therapy for Persons with Cardiovascular Conditions**



Product	MQIC Best Practice
Commercial	81.69%

## Hypercholesterolemia Indicator MQIC Community Rate non-HEDIS reporting years 2006-2009


**Measure: Statin Therapy for Persons with Cardiovascular Conditions**



Product	MQIC Best Practice
Medicaid	88.89%


# Hypercholesterolemia Indicator MQIC Community Rate non-HEDIS reporting years 2007-2009

**Measure: Statin Therapy for Persons with Cardiovascular Conditions**




Product	MQIC Best Practice
Medicare	84.38%


**Hypercholesterolemia Indicator  
Blue Cross Blue Shield of MI  
Commercial Members  
HEDIS® 2010**



**Hypercholesterolemia Indicator  
Blue Cross Blue Shield of MI  
Commercial Members  
non-HEDIS reporting years 2006-2009**




## Hypertension Indicator Controlling High Blood Pressure MQIC Community Rate HEDIS® 2010




Product	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Commercial	64.10%	73.06%

## Hypertension Indicator Controlling High Blood Pressure MQIC Community Rate HEDIS® 2010



Product	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Medicaid	55.30%	67.88%


## Hypertension Indicator Controlling High Blood Pressure MQIC Community Rate HEDIS® 2010



Product	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Medicare	59.80%	74.09%

# Hypertension Indicator MQIC Community Rate non-HEDIS reporting years 2005-2009


Measure: Percent diagnosed with Hypertension



Product	MQIC Best Practice
Commercial	11.38%

# Hypertension Indicator MQIC Community Rate non-HEDIS reporting years 2005-2009


Measure: Percent diagnosed with Hypertension



Product	MQIC Best Practice
Medicaid	4.01%


# Hypertension Indicator MQIC Community Rate non-HEDIS reporting years 2007-2009

Measure: Percent diagnosed with Hypertension




Product	MQIC Best Practice
Medicare	31.48%

**Hypertension Indicator  
Blue Cross Blue Shield of MI  
Commercial Members  
non-HEDIS reporting years 2008-2009**




**Low Back Pain Indicator  
Proportion for whom Imaging Studies did not occur  
MQIC Community Rate  
HEDIS® 2010**




Product	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Commercial	73.90%	76.91%
Medicaid	76.10%	85.03%

**Low Back Pain Indicator  
Blue Cross Blue Shield of MI  
Commercial Members  
HEDIS® 2010**




## Adult Body Mass Index Assessment MQIC Community Rate HEDIS® 2010




Product	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Commercial	41.30%	75.82%
Medicaid	34.60%	74.93%
Medicare	38.80%	92.27%

## Weight Assessment for Children/Adolescents MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
BMI Percentile 3-11 years	n/a	55.02%
BMI Percentile 12-17 years	n/a	59.69%
BMI Percentile Total All years	35.40%	56.45%

## Counseling for Nutrition for Children/Adolescents MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Counseling for Nutrition 3-11 years	n/a	64.47%
Counseling for Nutrition 12-17 years	n/a	52.46%
Counseling for Nutrition Total All years	41.00%	59.12%

## Counseling for Physical Activity for Children/Adolescents MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Counseling for Physical Activity 3-11 years	n/a	51.00%
Counseling for Physical Activity 12-17 years	n/a	51.37%
Counseling for Physical Activity Total	36.50%	50.61%

## Weight Assessment for Children/Adolescents MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
BMI Percentile 3-11 years	n/a	82.71%
BMI Percentile 12-17 years	n/a	80.92%
BMI Percentile Total All years	30.30%	80.05%

## Counseling for Nutrition for Children/Adolescents MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Counseling for Nutrition 3-11 years	n/a	71.05%
Counseling for Nutrition 12-17 years	n/a	63.45%
Counseling for Nutrition Total All years	41.90%	68.37%

## Counseling for Physical Activity for Children/Adolescents MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Counseling for Physical Activity 3-11 years	n/a	66.17%
Counseling for Physical Activity 12-17 years	n/a	62.07%
Counseling for Physical Activity Total	32.50%	64.72%

## Pharyngitis Indicator Appropriate Testing for Children with Pharyngitis MQIC Community Rate HEDIS® 2010




Product	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Commercial	77.40%	78.26%
Medicaid	62.30%	80.23%

# Pharyngitis Indicator Blue Cross Blue Shield of MI Commercial Members HEDIS® 2010




## Prenatal and Postpartum Care Indicators MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Timeliness of Prenatal Care	93.10%	96.09%
Postpartum Care Visit	83.60%	92.19%

## Prenatal and Postpartum Care Indicators MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Timeliness of Prenatal Care	83.40%	94.44%
Postpartum Care Visit	64.10%	74.44%

## Adult Preventive Services Indicators MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Chlamydia Scrg 21-24 yrs*	45.40%	65.08%
Cervical CA Scrg 21-64 yrs	77.30%	86.50%
Breast CA Scrg 40-69 yrs	71.30%	82.50%

## Adult Preventive Services Indicators MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Colorectal CA Scrg 51-75 yrs*	60.70%	77.36%
Flu Shots Adults 50-64 yrs	51.30%	53.62%

## Adult Preventive Services Indicators MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Chlamydia Scrg 21-24 yrs*	61.60%	76.74%
Cervical CA Scrg 21-64 yrs	65.80%	80.56%
Breast CA Scrg 40-69 yrs	52.40%	63.21%

## Adult Preventive Services Indicators MQIC Community Rate - Medicare HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Colorectal CA Scrg 51-75 yrs*	54.90%	82.45%
Breast CA Scrg 40-69 yrs	52.40%	90.27%


**Adult Preventive Services Indicators  
Blue Cross Blue Shield of MI  
Commercial Members  
HEDIS® 2010**



**Adult Preventive Services Indicators  
Blue Cross Blue Shield of MI  
Commercial Members  
HEDIS® 2010**




## Adolescent Preventive Services Indicator MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Adolescent Well-Care Visits	n/a	57.89%
Chlamydia Screening 16-20 years	41.00%	50.88%

**Adolescent Preventive Services Indicator  
 Immunizations for Adolescents - Commercial  
 MQIC Community Rate  
 HEDIS® 2010**




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Meningococcal	n/a	49.15%
Tdap/Td	n/a	65.45%
Combination 1	n/a	45.99%

## Adolescent Preventive Services Indicator MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Adolescent Well-Care Visits	n/a	65.98%
Chlamydia Screening 16-20 years	54.40%	67.84%

## Adolescent Preventive Services Indicator Immunizations for Adolescents MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Meningococcal	n/a	61.56%
Tdap/Td	n/a	70.32%
Combination 1	n/a	54.99%

**Adolescent Preventive Services Indicators  
Blue Cross Blue Shield of MI  
Commercial Members  
HEDIS® 2010**




## Pediatric Preventive Services Indicators MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Well Child Visits First 15 months 6+ visits	n/a	83.48%
Well Child Visits in the 3rd, 4th, 5th and 6th years of life	n/a	81.95%

## Pediatric Preventive Services Indicators MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
DTaP/DT	85.40%	92.45%
IPV	91.10%	96.81%

## Pediatric Preventive Services Indicators MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
MMR	90.60%	93.40%
HiB	94.80%	99.02%

## Pediatric Preventive Services Indicators MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
HepB	90.10%	97.30%
HepA	n/a	36.41%

## Pediatric Preventive Services Indicators MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
VZV	90.60%	93.40%
Pneumococcal	84.60%	91.40%

## Pediatric Preventive Services Indicators MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Rotavirus	n/a	68.48%
Influenza	n/a	61.29%

## Pediatric Preventive Services Indicators MQIC Community Rate - Commercial HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Combo 2	77.70%	92.45%
Combo 3	73.40%	89.62%

## Pediatric Preventive Services Indicators MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Well Child Visits First 15 months 6+ visits	n/a	90.51%
Well Child Visits in the 3rd, 4th, 5th and 6th years of life	n/a	85.07%

## Pediatric Preventive Services Indicators MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
DTaP/DT	79.60%	88.81%
IPV	89.00%	96.84%

## Pediatric Preventive Services Indicators MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
MMR	91.20%	95.86%
HiB	93.70%	99.27%

## Pediatric Preventive Services Indicators MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
HepB	89.10%	98.52%
HepA	n/a	51.48%

## Pediatric Preventive Services Indicators MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
VZV	90.60%	95.19%
Pneumococcal	77.60%	87.78%

## Pediatric Preventive Services Indicators MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Rotavirus	n/a	63.75%
Influenza	n/a	54.44%

## Pediatric Preventive Services Indicators MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Combo 2	74.30%	87.04%
Combo 3	69.40%	83.53%

## Pediatric Preventive Services Indicators MQIC Community Rate - Medicaid HEDIS® 2010




Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Lead Screening in Children	66.40%	84.02%

**Pediatric Preventive Services Indicators  
Blue Cross Blue Shield of MI  
Commercial Members  
HEDIS® 2010**




## Alcohol or Other Drug Dependence Disorders Indicator MQIC Community Rate - Commercial HEDIS® 2010



Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Initiation of AOD Dependence Treatment	42.70%	52.46%
Engagement of AOD Dependence Treatment	16.10%	19.80%

## Alcohol or Other Drug Dependence Disorders Indicator MQIC Community Rate - Medicare HEDIS® 2010



Measure	Nat'l HEDIS® 2010 Rate	MQIC Best Practice
Initiation of AOD Dependence Treatment	46.20%	75.00%
Engagement of AOD Dependence Treatment	4.60%	15.38%

Please visit [www.mqic.org](http://www.mqic.org)  
to access the most current  
Michigan Quality Improvement Consortium

Clinical Practice Guidelines,  
Measurement Specifications,  
Physician Practice Tools,

and other valuable information.