

2008 MQIC MEASURES FOR ANNUAL PERFORMANCE REPORTING

DIABETES

HEDIS® Comprehensive Diabetes Care (CDC) Measures:

1. HbA1c Testing
2. HbA1c Poor Control (>9.0%)
3. HbA1c Good Control (<7.0%)
4. Eye Exam (retinal) performed
5. LDL-C Screening
6. LDL-C Control (< 100 mg/dL)
7. Medical Attention for Nephropathy
8. Blood Pressure Control (<130/80 mm Hg)
9. Blood Pressure Control (<140/90 mm Hg)

Non-HEDIS® Measures:

1. Statin Therapy for Persons with Diabetes
 2. Disease-Burden Measures* (due this year; reported every 5 years)
 - A. Acute Myocardial Infarction (AMI)
 - B. Cerebrovascular Accident (CVA)
 - C. Amputations
 - D. Dialysis
-

ASTHMA

HEDIS® Use of Appropriate Medications for People With Asthma (ASM) Measures:

1. Use of Appropriate Medications for People with Asthma
 - A. 5-9 Years Old
 - B. 10-17 Years Old
 - C. 18-56 Years Old
 - D. Total (sum of the three numerators divided by sum of the three denominators)

Non-HEDIS® Measures:

1. Periodic Assessment (5-56 Years Old)
 2. Emergency Department Visits for Members with Asthma and Being Treated for a Primary Diagnosis of Asthma
-

TOBACCO CONTROL

HEDIS® Medical Assistance With Smoking Cessation (MSC) Measures:

1. Advising Smokers to Quit
2. Discussing Smoking Cessation Medications
3. Discussing Smoking Cessation Strategies

Non-HEDIS® Measures:

1. Percent Current Smokers
-

MAJOR DEPRESSION

HEDIS® Antidepressant Medication Management (AMM) Measures:

1. Antidepressant Medication Management
 - A. Optimal Practitioner Contacts for Medication Management

- B. Effective Acute Phase Treatment
- C. Effective Continuation Phase Treatment

SUBSTANCE USE DISORDERS

HEDIS® Initiation and Engagement of Alcohol and Other Drug Dependence Treatment (IET) Measures:

- 1. Initiation of AOD Treatment
 - 2. Engagement of AOD Treatment
-

HYPERLIPIDEMIA

HEDIS® Cholesterol Management for Patients with Cardiovascular Conditions (CMC) Measures:

- 1. LDL-C Screening
- 2. LDL-C Control (< 100 mg/dL)

Non-HEDIS® Measure:

- 1. Statin Therapy for Persons with Cardiovascular Conditions
-

HYPERTENSION

HEDIS® Controlling High Blood Pressure (CBP) Measure:

- 1. Controlling High Blood Pressure (< 140/90 mm Hg)

Non-HEDIS® Measure:

- 1. Percent Members with any Diagnosis of Hypertension
-

AC PHARYNGITIS

HEDIS® Appropriate Testing for Children With Pharyngitis (CWP) Measure:

- 1. Appropriate Testing for Children with Pharyngitis
-

ADULT PREVENTIVE SERVICES (AGES 18 – 65+)

HEDIS® Colorectal Cancer Screening (COL), Breast Cancer Screening (BCS), Cervical Cancer Screening (CCS), Chlamydia Screening in Women (CHL); Flu Shots for Adults Ages 50-64 (FSA), Flu Shots for Older Adults (FSO), Pneumonia Vaccination Status for Older Adults (PNU) Measures:

- 1. Colorectal Cancer Screening
- 2. Breast Cancer Screening
- 3. Cervical Cancer Screening
- 4. Chlamydia Screening in Women (**21 – 25 years**)
- 5. Flu Shots for Adults Ages 50 – 64 (CAHPS®) [**Commercial only**]
- 6. Flu Shots for Older Adults (CAHPS®) [**Medicare only**]
- 7. Pneumonia Vaccination Status for Older Adults (CAHPS®) [**Medicare only**]

PREVENTIVE SERVICES FOR INFANTS AND CHILDREN (BIRTH – 24 MONTHS)

HEDIS® Childhood Immunization Status (CIS); Well-Child Visits in the First 15 Months of Life (W15); Lead Screening in Children (LSC) Measures:

1. Childhood Immunization Status (DTaP; IPV; MMR; HiB; Hepatitis B; VZV; Pneumococcal conjugate; Combination 2 [DTaP, IPV, MMR, HiB, hepatitis B, VZV]; Combination 3 [DTaP, IPV, MMR, HiB, hepatitis B, VZV, pneumococcal conjugate])
2. Well-Child Visits in the First 15 Months of Life (**6+ visits**)
3. Lead Screening in Children [**Medicaid only**]

PREVENTIVE SERVICES FOR CHILDREN AND ADOLESCENTS (AGES 2 - 18)

HEDIS® Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34); Adolescent Well-Care Visits (AWC); Chlamydia Screening in Women (CHL) [16 – 20 years] Measures:

1. Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life
2. Adolescent Well-Care Visits
3. Chlamydia Screening in Women (**16 – 20 years**)

Routine Prenatal and Postnatal Care

HEDIS® Prenatal and Postpartum Care (PPC)

1. Prenatal and Postpartum Care (timeliness of prenatal care; postpartum visit between 21 and 56 days after delivery)

Chronic Kidney Disease

Non-HEDIS® Measure: *(New measure for HEDIS®-2009)

1. Percent Members in HEDIS® Diabetes and Hypertension Populations who had a GFR Test

MQIC GUIDELINES THAT WILL NOT HAVE MEASURES AT THIS TIME:

1. DVT
2. Heart Failure
3. Adult Obesity
4. Osteoarthritis
5. Adult Unintended Pregnancy Prevention
6. Childhood Overweight Prevention
7. Childhood Overweight Treatment
8. Osteoporosis